



## LISTE DES TIRES A PART DISPONIBLES A LA BIBLIOTHEQUE

### LIST OF OUR REPRINTS AVAILABLE AT THE LIBRARY

- 3 HOFFMANN L., 1963. Shooting pressure on mallard in southern France and its seasonal evolution as studied by X-rays. Int union game biol Transactions of the 6<sup>th</sup> congress . Nature conservancy London (GBR) p271-273
- 4 IMPEKOVEN M., 1963 . Verbreitung and Fluchtmigration von Kriekten in den kalten Wintern 1956 und 1962/63. Eine vergleichende Analyse von Rückmeldungen in La Tour du Valat (Sudfrankreich) beringter Tier. In: Int Union Game Biol Transactions of the 6th congress. Nature Conservancy London (GBR) p293-307
- 6 BIGOT L. & MARAZANOF F., 1965. Considérations sur l'écologie des invertébrés terrestres et aquatiques des marismas du Guadalquivir (Andalucia). Vie Milieu 16(1C) p441-473
- 7 BOVET J., 1965. Note sur le retour au gîte du mulot de Camargue . Z Tierpsychol 22(2) p163-166
- 9 MARAZANOF F., 1965. Ostracodes de Camargue. Ann Limnol 1(1) p95-102
- 10 TAMISIER A., 1965. Dénombrements d'anatidés hivernant en Camargue, hiver 1964-65. Alauda 33(4) p265-293
- 13 HEURTEAUX P., 1966. Climatologie des années 1964 et 1965 en moyenne Camargue. Terre Vie 20 p225-236
- 17 KRAMER P., 1966. Der Eisvogel Alcedo atthis auf dem Zug in und durch die Camargue. Vogelwarte 23(3) p164-172
- 18 TAMISIER A.. 1967. Dénombrements de sauvagine sur le littoral méditerranéen français. Alauda 34(4) p279-298
- 19 BLONDEL J., 1967. Etude d'un cline chez le rouge-queue à front blanc Phoenicurus phoenicurus L. La variation de la longueur de l'aile, son utilisation dans l'étude des migrations. Alauda 35(2) p83-193
- 22 HEURTEAUX P., 1968. Climatologie des années 1966 et 1967 en moyenne Camargue. Terre Vie 22 p415-422
- 23 HOFFMANN L., 1968. Station de baguage de Camargue. Compte rendu pour les années 1966 et 1967. Terre Vie 22 p500-513
- 24 BLONDEL J., 1969. Sédentarité et migration des oiseaux dans une garrigue méditerranéenne. Terre Vie 23 p269-314
- 25 FOURNIER O., 1969. Recherches sur les barges à queue noire Limosa limosa et les combattants Philomachus pugnax stationnant en Camargue au printemps 1966. Nos Oiseaux 30(325) p87-102
- 26bis HEURTEAUX P., 1970. Climatologie des années 1968 et 1969 en moyenne Camargue. Terre Vie 24 p563-569
- 26(5) HOFFMANN L., 1970. Station de baguage de Camargue. Compte rendu pour les années 1968 et 1969. Terre Vie 24 p604-618

- 28 JOHNSON A.R., 1973. Station de baguage de Camargue. Compte rendu pour les années 1970 et 1971. *Terre Vie* 27 p102-117
- 30 HEURTEAUX P., 1973. Climatologie des années 1970 et 1971 en moyenne Camargue. *Terre Vie* 27 p138-146
- 31 JOHNSON A.R., 1973. Nidification des flamants en 1970 et 1971. *Terre Vie* 27 p95-101
- 34 HEURTEAUX P., 1970. Rapports des eaux souterraines avec les sols halomorphes et la végétation en Camargue. *Terre Vie* 24 p467-510
- 35 JOHNSON A.R. & ISENMANN P., 1971. L'évolution récente des effectifs de laro-limicoles en zone saumâtre de Camargue. *Alauda* 39(1) p29-36
- 36 JOHNSON A.R. & ISENMANN P., 1971. La nidification et le passage de la mouette mélanocéphale *Larus melanocephalus* en Camargue. *Alauda* 39(2) p105-111
- 37 WALMSLEY J.G., 1970. Une glaréole de Nordmann *Glaerola nordmanni* en Camargue, première observation et premier cas de nidification pour la France. *Alauda* 38(4) p295-305
- 38 TAMISIER A., 1970. Signification du grégarisme diurne et de l'alimentation nocturne des sarcelles d'hiver *Anas crecca crecca* L. *Terre Vie* 24 p511-562
- 40 TAMISIER A., 1971. Régime alimentaire des sarcelles d'hiver *Anas crecca crecca* L en Camargue. *Alauda* 39(4) p261-311
- 42 JOHNSON A.R., 1973. Observation et capture d'un phalarope de Wilson *Phalaropus tricolor* en Camargue. *Alauda* 41(3) p233-238
- 44 JOHNSON A.R. & HAFNER H., 1970. Winter wildfowl counts in southeast Europe and western Turkey. *Wildfowl* 21 p22-36
- 46 JOHNSON A.R., 1975. Station de baguage de Camargue. Compte rendu pour les années 1972 et 1973. *Terre Vie* 29 p116-130
- 47 HAFNER H., 1975. Compte rendu ornithologique camarguais pour les années 1972 et 1973. *Terre Vie* 29 p100-112
- 48 HEURTEAUX P., 1975. Climatologie des années 1972 et 1973 en moyenne Camargue. *Terre Vie* 29 p151-160
- 49 JOHNSON A.R., 1975. La nidification des flamants de Camargue en 1972 et 1973. *Terre Vie* 29 p113-115
- 51 FUCHS E., 1973. Durchzug und Überwinterung des Alpenstrandlaufers *Calidris alpina* in der Camargue. *Ornithol Beob* 70 p113-134
- 53 HOVETTE C., 1972. Le saturnisme des anatidés en Camargue. *Alauda* 40(1) p1-17
- 55 ISENMANN P., 1973. Données sur les déplacements erratiques de goélands argentés à pieds jaunes *Larus argentatus michahellis* nés en Méditerranée. *Oiseau Rev Fr Ornithol* 43(3) p187-195
- 56 ISENMANN P., 1973. Le passage de la sterne caspienne *Hydroprogne caspia* en 1971 et 1972 en Camargue. *Alauda* 41(4) p365-370
- 57 TAMISIER A., 1972. Rythmes nycthémeraux des sarcelles d'hiver pendant leur hivernage en Camargue. *Alauda* 40(2) p107-256

- 61 HAFNER H., 1976. Compte rendu ornithologique camarguais pour les années 1974 et 1975. Terre Vie 30 p581-592
- 62 HEURTEAUX P., 1976. Climatologie des années 1974 et 1975 en moyenne Camargue . Terre Vie 30 p619-627
- 63 FUCHS E., 1975. Observations sur les ressources alimentaires et l'alimentation des bécasseaux variable, minute et corcoli *Calidris alpina*, minuta et ferruginea en Méditerranée, au passage et pendant l'hivernage. Alauda 43(1) p55-69
- 65 JOHNSON A., 1976. La nidification des flamants de Camargue en 1974 et 1975. Terre Vie 4 p593-597
- 65bis WALMSLEY J.G., 1976. Une glaréole à ailes noires *Glareola nordmanni* en Camargue. Alauda 44(3) p334-335
- 66 ISENMANN P., 1975. Observations sur la mouette pygmée *Larus minutus* en Camargue de 1971 à 1974. Terre Vie 29 p77-88
- 67 ISENMANN P., 1975. Le passage pré-nuptial de la guifette leucoptère *Chlidonias leucopterus* en Camargue. Bull Mus Hist Natur Marseille 35 p149-151
- 68 VERHOEVEN J.T.A., 1975. Ruppia communities in the Camargue, France. Distribution and structure in relation to salinity and salinity fluctuations. Aquat Bot 1 p217-241
- 72 GOLDSCHMIDT-ROTHSCHILD B.von & TSCHANZ B., 1978. Soziale Organization und Verhalten einer Jungtierherde beim Camarguepferd. Z Tierpsychol 46 p372-400
- 73 MORGAN N.C., 1978. Towards improved criteria for selection of wetlands for wildfowl conservation. In: Technical meeting of evaluation of wetlands from a conservation point of view. J. Szijj. IWRB Slimbridge (GBR) p15-19
- 74 BASSETT P.A., 1978. The vegetation of a Camargue pasture. J Ecol 66 p803-827
- 75 WATMOUGH B.R., 1978. Observations on nocturnal feeding by night herons *Nycticorax nycticorax*. Ibis 120 p356-358
- 77 HAFNER H., JOHNSON A.R. & WALMSLEY J., 1979. Compte rendu ornithologique camarguais pour les années 1976 et 1977. Terre Vie 33 p307-324
- 82 JOHNSON A.R., MORGAN N.G. & MORGAN N.C., 1980. Une extension de l'aire de répartition de la bouvière *Rhodeus sericeus amarus* Bloch 1792. Terre Vie 34 p135-137
- 84 BASSETT P.A., 1980. Some effects of defoliation on the vegetation dynamics of two Camargue grasslands. Acta Oecol Oecol Plant 1(2) p121-135
- 85 DUNCAN P. & COWTAN P., 1980. An unusual choice of habitat helps Camargue horses to avoid blood-sucking horse flies. Biol Behav 5 p55-60
- 90 BASSETT P.A., 1980. Some effects of grazing on vegetation dynamics in the Camargue, France. Vegetatio 43 p173-184
- 91 MACDONALD G.H., 1980. The use of *Artemia* cysts as food by flamingo *Phoenicopterus ruber roseus* and the shelduck *Tadorna tadorna*. In: The Brine shrimp *Artemia*. 3: Ecology, culturing use in aquaculture. G. Persoone, P. Sorgeloos, O. Roels & E. Jaspers. Universa Press Wetteren (BEL) p97-104
- 92 GUERLESQUIN M. & PODLEJSKI V., 1980. Characées et végétaux submergés et flottants associés dans quelques milieux camarguais. Naturalia Monspeliensia Ser Bot 36 p1-20

- 93 KOHLI E., 1980. 24-Stunden-Aktivitätszyklus freilebender Nutrias *Myocastor coypus* in der Camargue (Sudfrankreich). *Z Tierpsychol* 54 p368-380
- 95 CRIVELLI A.J., 1981. The biology of the common carp *Cyprinus carpio* L in the Camargue, southern France. *J Fish Biol* 18 p271-290
- 98 PODLEJSKI V.D., 1981. Observations sur *Scirpus maritimus* L. en Camargue. *Ecol Mediterranea* 7(1) p63-78
- 100 ROGERS P.M., 1981. Ecology of the european wild rabbit *Oryctolagus cuniculus* L. in mediterranean habitats. 2. Distribution in the landscape of the Camargue, south of France. *J Appl Ecol* 18 p355-371
- 104 KAMINSKI M. & DUNCAN P., 1981. Hemotypes and genetic structure of Camargue horses. *Biochem Syst Ecol* 9(4) p365-371
- 106 WALMSLEY J.G., 1981. Interpopulations-Bewegungen von Brandgansen *Tadorna tadorna* L. *Beitr Naturkd Niedersachsens* 34 p140-147
- 107 WALMSLEY J.G., 1981. Farbberingte Brandgans *Tadorna tadorna* L. der Camargue-Population (Sudfrankreich) mausern auf dem Gr.Knechtsand. *Beitr Naturkd Nierdersachsens* 34 p173-174
- 108 BOY V. & ROGERS P.M., 1982. Extraction of habitat identities from digitized maps. *J Wildlife Manage* 46(1) p271-276
- 110 GOLTERMAN H.L., 1982. Preliminary observations on nutrient cycles in *Scirpus* and rice fields in the Camargue. In: *Studies on aquatic vascular plants*. J.J.Symoens, S.S.Hooper & P.Compere. Roy Bot Soc Belgium Brussels (BEL) p200-201
- 112 DUNCAN P., 1982. Foal killing by stallions. *Appl Anim Ethol* 1982 8 p567-570
- 113 GOLTERMAN H.L., 1982. La géochimie du Rhin et du Rhône et l'impact humain. *Hydrobiologia* 91 p85-91
- 115 GOLTERMAN H.L., 1982. Differential extraction of sediment phosphates with NTA solutions. *Hydrobiologia* 92 p683-687
- 121 HAFNER H., JOHNSON A. & WALMSLEY J., 1982. Compte rendu ornithologique camarguais pour les années 1980 et 1981. *Terre Vie* 36 p573-601
- 122 WALMSLEY J.G., 1982. La distinction dans la nature entre les immatures et les adultes chez le tadorne de Belon, *Tadorna tadorna*. Une méthode pour la détermination de l'âge. *Nos Oiseaux* 36 p325-330
- 123 CRIVELLI A.J., 1982. Biology of three Malacostraca (Decapoda) in a mediterranean lagoon with particular emphasis on the effect of rapid environmental changes on the activity (catchability) of the species. *Estuar Coast Shelf Sci* 15 p591-604
- 128 DUNCAN P., 1983. Determinants of the use of habitat by horses in a mediterranean wetland. *J Anim Ecol* 52 p93-109
- 129 SALATHE T., 1983. La prédation du flamant rose *Phoenicopterus ruber roseus* par le goéland leucophée *Larus cachinnans* en Camargue. *Terre Vie* 37 p88-115
- 133 BRITTON R.H., 1982. Managing the prey fauna. In: 3rd Technical Meeting on Western palearctic migratory bird management. 'Managing wetlands and their birds'. D.A. Scott. IWRB Slimbridge (GBR) chap9 p92-98
- 140 DUNCAN P., FEH C., GLEIZE J.C., MALKAS P. & SCOTT A.M., 1984. Reduction of inbreeding in a natural herd of horses. *Anim Behav* 1984 32 p520-527

- 145 DUNCAN P., 1985. Time-budgets of Camargue horses. 3 Environmental influences. Behaviour 92(1/2) p188-208
- 151 GOLTERMAN H.L. & MEYER M.L., 1985. The geochemistry of two hard water rivers, the Rhine and the Rhone. 4: Determination of the solubility product of hydroxy-apatite. Hydrobiologia 126(1) p25-29
- 152 CLYMO R.S. & GOLTERMAN H.L., 1985. Precision and accuracy of the determination of the ionic product of hydroxy-apatite. Hydrobiologia 126(1) p31-34
- 153 SALATHE T., 1985. Beeinflusst das Angebot an Nistmaterial den Bau und Erfolg von Blasshuhnneestern *Fulica atra* ? Ornithol Beob 82 p272-282
- 157 MOSER M.E., 1986. Breeding strategies of purple herons in the Camargue, France. Ardea 74 p91-100
- 160 SALATHE T. & RAZUMOVSKY K., 1986. Ecology of a marginal carrion crow population.1: Distribution and abundance. Terre Vie 41 p343-353
- 163 WALMSLEY J., 1986. The status of breeding storm petrels (*Hydrobates pelagicus*) on the mediterranean coast of France. In: Mediterranean marine avifauna. MEDMARAVIS & X. Monbailliu. Springer Berlin (DEU) p153-160 (NATO Ser vol G12)
- 164 CRIVELLI A.J. & BRITTON R.H., 1987. Life history adaptations of *Gasterosteus aculeatus* in a mediterranean wetland. Environ Biol Fish 18(2) p109-125
- 168 CRIVELLI A.J. & BOY V., 1987. The diet of the mosquitofish *Gambusia affinis* (Baird & Girard) (Poeciliidae) in mediterranean France. Terre Vie 42 p421-435
- 169 SALATHE T. & BOY V., 1987. Territoriality and time budget of breeding coots. Wildfowl 38 p70-76
- 170 BRITTON R.H. & JOHNSON A.R., 1987. An ecological account of a mediterranean salina: The Salin de Giraud, Camargue (s. France). Biol Conserv 42 p185-230
- 172 SALATHE T., 1987. Crow predation on coot eggs: Effects of investigator disturbance, nest cover and predator learning. Ardea 75 p221-229
- 173 EL-HABR H. & GOLTERMAN H.L., 1987. Input of nutrients and suspended matter into the Golfe du Lion and the Camargue by the river Rhone = Apport par le Rhône de nutriments et de matières en suspension dans le Golfe du Lion et la Camargue. Sci Eau 6 p393-402
- 174 CRIVELLI A.J. & DUPONT F., 1987. Biometrical and biological features of *Alburnus alburnus* x *Rutilus rubilio* natural hybrids from lake Mikri Prespa, northern Grece. J Fish Biol 31 p721-723
- 175 CRIVELLI A.J. & MESTRE D., 1988. Life history traits of pumpkinseed, *Lepomis gibbosus*, introduced into the Camargue, a mediterranean wetland. Arch Hydrobiol 111(3) p449-466
- 177 WALMSLEY J.G., 1986. Wintering shelduck (*Tadorna tadorna*) in the west mediterranean. Ric Biol Selvaggina suppl 10 p339-354
- 182 BOY V. & CRIVELLI A.J., 1988. Simultaneous determination of gillnet selectivity and population age-class distribution for two cyprinids. Fish Res 6 p337-345
- 185 CRIVELLI A.J., JERRENTUP H. & MITCHEV T., 1989. Electric power lines: A cause of mortality in *Pelecanus crispus* Bruch, a world endangered bird species, in Porto Lago, Greece. Colonial Waterbirds 11(2) p301-305

- 194 JOHNSON A.R., 1989. Population studies and conservation of greater flamingos in the Camargue. In: Wetlands en watervogels. A.L. SPAANS. Pudoc Wageningen (NLD) p49-63
- 200 DUNCAN P., FOOSE T.J., GORDON I.J., GAKAHU C.G. & LLOYD M., 1990. Comparative nutrient extraction from forages by grazing bovids and equids: A test of the nutritional model of equid/bovid competition and coexistence. *Oecologia* 84 p411-418
- 204 KERSTEN M., BRITTON R.H., DUGAN P.J. & HAFNER H., 1991. Flock feeding and food intake in little egrets: The effects of prey distribution and behaviour. *J Anim Ecol* 60 p241-252
- 211 BOUTIN J., CHERAIN Y. & VANDEWALLE P., 1991. Suivis de populations naturelles. Comptendu ornithologique camarguais pour les années 1988-1989. *Rev Ecol-Terre Vie* 46 p263-289
- 213 GRILLAS P., VAN WIJCK C. & BONIS A., 1991. Life history traits: A possible cause for the higher frequency of occurrence of *Zannichellia pedunculata* than of *Zannichellia obtusifolia* in temporary marshes. *Aquat Bot* 42 p1-13
- 214 CRIVELLI A.J., MITCHEV T., CATSADORAKIS G. & POMAKOV V., 1991. Preliminary results on the wintering of the Dalmatian pelican, *Pelecanus crispus*, in Turkey. *Zool Middle East* 5 p11-20
- 222 VAN WIJCK C., DE GROOT C.J. & GRILLAS P., 1992. The effect of anaerobic sediment on the growth of *Potamogeton pectinatus* L.: The role of organic matter, sulphide and ferrous iron. *Aquat Bot* 44 p31-49
- 224 GRILLAS P., TAN HAM L., DUTARTRE A. & MESLEARD F., 1992. Distribution de *Ludwigia* en France. Etude des causes de l'expansion récente en Camargue. In: 15<sup>e</sup> Conférence COLUMA. Journées Internationales sur la Lutte contre les Mauvaises Herbes Versailles (FRA) 2-4/12/1992
- 226 CEZILLY F. & JOHNSON A.R., 1992. Exotic flamingos in the Western Mediterranean region: A case for concern? *Colonial Waterbirds* 15 p261-263
- 227 ROSECCHI E. & CRIVELLI A.J., 1992. Study of a sand smelt (*Atherina boyeri* Risso 1810) population reproducing in fresh water. *Ecol Freshwater Fish* 1 p77-85
- 231 GRILLAS P., GARCIA-MURILLO P., GEERTZ-HANSEN O., MARBA N., MONTES C., DUARTE C.M., TAN HAM L. & GROSSMANN A., 1993. Submerged macrophyte seed bank in a Mediterranean temporary marsh: Abundance and relationship with established vegetation. *Oecologia* 94 p1-6
- 232 MESLEARD F., TAN HAM L., BOY V., VAN WIJCK C. & GRILLAS P., 1993. Competition between an introduced and an indigenous species: The case of *Paspalum paspalodes* (Michx) Schribner and *Aeluropus litoralis* (Gouan) in the Camargue (southern France). *Oecologia* 94 p204-209
- 236 ROSECCHI E., CRIVELLI A.J. & CATSADORAKIS G., 1993. The establishment and impact of *Pseudorasbora parva*, an exotic fish species introduced into Lake Mikri Prespa (north-western Greece). *Aquat Conserv* 3 p223-231
- 239 KAYSER Y., WALMSLEY J., PINEAU O. & HAFNER H., 1994. Evolution récente des effectifs de hérons cendrés (*Ardea cinerea*) et de hérons pourprés (*Ardea purpurea*) nicheurs sur le littoral méditerranéen français. *Nos Oiseaux* 1994 42 p341-355
- 241 VAN WIJCK C., GRILLAS P., DE GROOT C.J. & TAN HAM L., 1994. A comparison between the biomass production of *Potamogeton pectinatus* L. and *Myriophyllum spicatum* L. in the Camargue (southern France) in relation to salinity and sediment characteristics. *Vegetatio* 1994 113 p171-180
- 243 CRIVELLI A.J., 1994. Why do Great White Pelican chicks die suddenly on Arel Island, Banc d'Arguin, in Mauritania? *Rev Ecol-Terre Vie* 1994 49 p321-330
- 245 GAUTHIER-CLERC M., TAMISIER A. & CEZILLY F., 1994. Sleeping and vigilance in the White-faced Whistling-duck. *Wilson Bull* 106 p759-762

- 247 CRIVELLI A.J., 1995. Are fish introductions a threat to endemic freshwater fishes in the northern Mediterranean region ? *Biol Conserv* 72 p311-319
- 249 CRIVELLI A.J., GRILLAS P. & LACAZE B., 1995. Responses of vegetation to a rise in water level at Kerkini Reservoir (1982-1991), a Ramsar site in northern Greece. *Environ Manage* 19 p417-430
- 251 ROSECCHI E. & CRIVELLI A.J., 1995. Sand smelt (*Atherina boyeri*) migration within the water system of the Camargue, southern France. *Hydrobiologia* 300/301 p289-298
- 252 CEZILLY F., GOWTHORPE P., LAMARCHE B. & JOHNSON A.R., 1994. Observations on the breeding of the Greater Flamingo, *Phoenicopterus ruber roseus*, in the Banc d'Arguin National Park, Mauritania. *Colonial Waterbirds* 17 p181-183
- 255 CEZILLY F. & JOHNSON A.R., 1995. Re-mating between and within breeding seasons in the Greater Flamingo *Phoenicopterus ruber roseus*. *Ibis* 137 p543-546
- 256 MESLEARD F., LEPART J. & TAN HAM L., 1995. Impact of grazing on vegetation dynamics in former ricefields. *J Veget Sci* 1995 6 p683-690
- 257 TOURENQ C., JOHNSON A.R. & GALLO A., 1995. Adult aggressiveness and crèching behavior in the Greater Flamingo, *Phoenicopterus ruber roseus*. *Colonial Waterbirds* 18 p216-221
- 258 CRIVELLI A.J., XIMENES M.C., GOUT B., LASSERRE B., FREON P. & DO CHI T., 1995. Causes and effects of terrestrial runoff and riverine outflow on brackish/coastal marine fisheries ecosystems in the Northern Mediterranean Region. *FAO Fisheries Technical Paper* 349 p59-88
- 263 CATSADORAKIS G., MALAKOU M. & CRIVELLI A.J., 1996. The effects of the 1989/1990 drought on the colonial waterbirds nesting at Lake Mikri Prespa, Greece, with special emphasis on pelicans. *Colonial Waterbirds* 19 (Spec Publ 1) p207-218
- 264 CEZILLY F., VIALLEFONT A., BOY V. & JOHNSON A.R., 1996. Annual variation in survival and breeding probability in Greater Flamingos. *Ecology* 77 p1143-1150
- 266 PEJA N., VASO A., MIHO A., RAKAJ N. & CRIVELLI A., 1996. Characteristics of Albanian lagoons and their fisheries. *Fish Res* 27 p215-225
- 267 CRIVELLI A.J., 1995. Are introduced species the right answer to declining inland fisheries within Mediterranean region?. In: *Protection of aquatic biodiversity. Proceedings of the World Fisheries Congress. Theme 3.* D.P. Philipp et al. Oxford and IVH Publ. Co PVT Ltd New Dehli (IND) p266-268
- 269 TOURENQ C., AVIRMED A., MÖNCHTUJAA B. & FEH C., 1996. Observations ornithologiques dans le sud-ouest de la Mongolie (Première partie). *Alauda* 64 p355-362
- 270 TOURENQ C., AVIRMED A., MÖNCHTUJAA B. & FEH C., 1996. Observations ornithologiques dans le sud-ouest de la Mongolie (Deuxième partie). *Alauda* 64 p405-412
- 271 CRIVELLI A.J., MALAKOU M., CATSADORAKIS G. & ROSECCHI E., 1996. The Prespa barbel, *Barbus prespensis*, a fish species endemic to the Prespa Lakes (North-Western Greece). *Folia Zool* 45 (suppl 1) p21-32
- 272 CEZILLY F., BOY V., TOURENQ C.J. & JOHNSON A.R., 1997. Age-assortative pairing in the Greater Flamingo *Phoenicopterus ruber roseus*. *Ibis* 139 p331-336
- 275 PRADEL R., JOHNSON A.R., VIALLEFONT A., NAGER R.D. & CEZILLY F. 1997. Local recruitment in the greater flamingo: a new approach using capture-mark-recapture data. *Ecology* 78 p1431-1445
- 276 POIZAT G. & CRIVELLI A.J., 1997. Use of seasonally flooded marshes by fish in a Mediterranean wetland: timing and demographic consequences. *J Fish Biol* 51 p106-119

- 277 HAFNER H. & FASOLA M., 1997. Long-term monitoring and conservation of herons in France and Italy. *Colonial Waterbirds* 20 p298-305
- 278 JOHNSON A.R., 1997. Long-term studies and conservation of Greater Flamingos in the Camargue and Mediterranean. *Colonial Waterbirds* 20 p306-315
- 279 SADOUL N., 1997. The importance of spatial scales in long-term monitoring of colonial Charadriiformes in Southern France. *Colonial Waterbirds* 20 p330-338
- 282 CRIVELLI A.J., CATSADORAKIS G., MALAKOU M. & ROSECCHI E., 1997. Fish and fisheries of the Prespa lakes. *Hydrobiologia* 351 p107-125
- 283 THIBAUT M., KAYSER Y. TAMISIER A., SADOUL N., CHERAIN Y., HAFNER H., JOHNSON A. & ISENMANN P., 1997. Compte rendu ornithologique camarguais pour les années 1990-1994. *Rev Ecol-Terre Vie* 52 p261-315
- 284 VOLDER A., BONIS A. & GRILLAS P., 1997. Effects of drought and flooding on the reproduction of an amphibious plant, *Ranunculus peltatus*. *Aquat Bot* 58 p113-120
- 285 CRIVELLI A.J., MALAKOU M., CATSADORAKIS G. & ROSECCHI E., 1997. Life history and spawning migration of the Prespa nase, *Chondrostoma prespensis*. *Folia Zool* 46 (suppl 1) p37-49
- 286 ROSECCHI E., NOËL P.Y. & CRIVELLI A.J., 1998. Fresh and brackish water Decapod Crustacea of the Camargue (Rhône Delta, France). *Crustaceana* 71 p280-298
- 287 CRIVELLI A.J., HATZILACOU D. & CATSADORAKIS G., 1998. The breeding biology of the Dalmatian Pelican *Pelecanus crispus*. *Ibis* 140 p472-481
- 288 HAFNER H., KAYSER Y., BOY V., FASOLA M., JULIARD A.C., PRADEL R. & CEZILLY F., 1998. Local survival, natal dispersal, and recruitment in little egrets *Egretta garzetta*. *J Avian Biol* 29 p216-227
- 289 KAYSER Y., HAFNER H., MASSEZ G., 1998. Dénombrement de mâles chanteurs de butors étoilés *Botaurus stellaris* en Camargue en 1996. *Alauda* 66 p97-102.
- 291 PAMPOULIE C., MARQUES A., ROSECCHI E., CRIVELLI A.J. & BOUCHEREAU J.L., 1998. First record of *Kudoa* (Myxosporea) in *Pomatoschistus microps* in the Rhône Delta, France. *J Fish Biol* 53 p893-896.
- 292 MACHORDOM A., NICOLAS Y. & CRIVELLI A.J., 1998. Genetic variability and differentiation in *Leuciscus (Telestes) souffia*. Taxonomic and conservation inferences. *C R Acad Sci Paris Sci Vie* 322 p15-28.
- 294 FOCANT B., ROSECCHI E. & CRIVELLI A.J., 1999. Attempt at biochemical characterization of sand smelt *Atherina boyeri* Risso (Pisces, Atherinidae) populations from the Camargue (Rhône Delta, France). *Comp Biochem Physiol Pt B* 122 p261-267
- 295 CRIVELLI A.J., MARSILI L., FOCARDI S. & RENZONI A., 1999. Organochlorine compounds in pelicans (*Pelecanus crispus* and *Pelecanus onocrotalus*) nesting at Lake Mikri Prespa, North Western Greece. *Bull Environ Contam Toxicol* 62 p383-389
- 297 PAMPOULIE C., MARQUES A., ROSECCHI E., CRIVELLI A.J. & BOUCHEREAU J.L., 1999. A new myxosporean parasite, *Kudoa camarguensis* n. sp., recorded on two goby species (Teleostei: Pisces) in the Rhône Delta (Mediterranean Sea, France). *J Eukaryot Microbiol* 46 p304-310
- 298 PAMPOULIE C., MORAND S., LAMBERT A., ROSECCHI E., BOUCHEREAU J.L. & CRIVELLI A.J., 1999. Influence of the trematode *Aphalloïdes coelomicola* Dolfus, Chabaud & Golvan, 1957 on the fecundity and survival of *Pomatoschistus microps* (Kroyer, 1838) (Teleostei: Gobiidae). *Parasitology* 119 p61-67

- 299 HAFNER H., PINEAU O., KAYSER Y. & BENNETTS R., 1999. A re-analysis of the influence of reproduction on the following year's breeding population of little egrets in the Camargue, S. France. *Rev Ecol-Terre Vie* 54 p187-188
- 300 POIZAT G., ROSECCHI E. & CRIVELLI A.J., 1999. Empirical evidence of a trade-off between reproductive effort and expectation of future reproduction in female three-spined sticklebacks. *Proc Roy Soc London Ser B* 266 p1543-1548
- 301 TOURENQ C., AULAGNIER S., MESLEARD F., DURIEUX L., JOHNSON A., GONZALES G. & LEK S., 1999. Use of artificial neural networks for predicting rice crop damage by greater flamingos in the Camargue, France. *Ecol Model* 120 p349-358
- 302 KAYSER Y., 1999. Forte prédation sur des oiseaux de proies par un couple de faucons pèlerins *Falco peregrinus* dans le Parc National du Mercantour, France. *Nos Oiseaux* 46 p205-208
- 303 PAMPOULIE C., PRIOUR F., BOUCHEREAU J.L., ROSECCHI E. & CRIVELLI A.J., 1999. Reproductive traits of *Gobius niger* (Teleostei: Pisces) following a salinity stress: is it really a sedentary lagoon species? *J Mar Biol Assn UK* 79 p961-962
- 305 PAMPOULIE C., ROSECCHI E., BOUCHEREAU J.L. & CRIVELLI A.J., 1999. Life history traits of *Pomatoschistus minutus* in the Rhône Delta, France. *J Fish Biol* 55 p892-896
- 306 BERTAULT G., JOULIA D., JOHNSON A.R. & RAYMOND M., 1999. Sex determination in greater flamingo chicks through DNA analysis. *Waterbirds* 22 p282-284
- 307 MESLEARD F., LEPART J., GRILLAS P. & MAUCHAMP A., 1999. Effects of seasonal flooding and grazing on the vegetation of former ricefields in the Rhône delta (Southern France). *Plant Ecology* 145 p101-114
- 308 JAKOB C., HOFFMANN O., BRAUN C., CRIVELLI A.J. & VEITH M., 1999. Characteristics of intra-pool egg deposition sites of *Triturus marmoratus* (Latreille, 1800) and *T. helveticus* (Razoumowski, 1789). In: *Current studies in herpetology*. C. Miaud & G. Guyétant. *Societas Europea Herpetologica Le Bourget du Lac (FRA)* p215-219
- 309 JAKOB C., MORAND A. & CRIVELLI A.J., 1999. Amphibian communities in a mosaic of Mediterranean seasonally-flooded ponds: species richness and composition (Nature Reserve of Roque-Haute, France). In: *Current studies in herpetology*. C. Miaud & G. Guyétant. *Societas Europea Herpetologica Le Bourget du Lac (FRA)* p221-225
- 310 SI BACHIR A., HAFNER H., TOURENQ J.N. & DOUMANDJI S., 2000. Structure de l'habitat et biologie de reproduction du héron garde-bœuf, *Bubulcus ibis*, dans une colonie de la Vallée de la Soummam (Petite Kabylie, Algérie). *Rev Ecol-Terre Vie* 55 p33-43
- 311 PAMPOULIE C., LAMBERT A., ROSECCHI E., CRIVELLI A.J., BOUCHEREAU J.L. & MORAND S., 2000. Host death : a necessary condition for the transmission of *Aphalloides coelomicola* Dolfus, Chabaud, and Golvan, 1957 (Digenea, Cryptogonimidae) ? *J Parasitol* 86 p416-417
- 313 LEFEBVRE G. & POULIN B., 2000. Determinants of avian diversity in neotropical mangrove forests. In: *Biodiversity in wetlands. 1: Assessment, function and conservation*. B. Gopal, W.J. Junk & J.A. Davis. *Backhuys Publishers Leiden (NLD)* p161-179
- 314 DEERENBERG C. & HAFNER H., 1999. Fluctuation in population size and colony dynamics in the purple heron *Ardea purpurea* in Mediterranean France. *Ardea* 87 p217-226
- 315 BENNETTS R.E., FASOLA M., HAFNER H. & KAYSER Y., 2000. Influence of environmental and density-dependent factors on reproduction of little egrets. *Auk* 117 p634-639

- 316 GELIN A., CRIVELLI A.J., ROSECCHI E. & KERAMBRUN P., 2000. Is the brown shrimp Crangon crangon (L.) population of the Vaccarès lagoon (Camargue, France, Rhône delta) an annual population? C R Acad Sci-Sci Vie 323 p741-748
- 318 JOHNSON A.R., 2000. An overview of the Greater Flamingo ringing program in the Camargue (Southern France) and some aspects of the species' breeding biology studied using marked individuals. Waterbirds 23 N°Sp1 p2-8
- 319 BERTAULT G., RAYMOND M., ROUSSET F., CEZILLY F. & JOHNSON A.R., 2000. Evidence of seasonal sex ratio manipulation in the Geater Flamingo. Waterbirds 23 N°Sp1 p20-25
- 320 JOHNSON A.R., 2000. Flamingo Specialist Group: Past, present, and future activities. Waterbirds 23 N°Sp1 p200-205
- 321 TOURENQ C., BENNETTS R., SADOUL N., MESLEARD F., KAYSER Y. & HAFNER H., 2000. Long-term population and colony patterns of four species of tree-nesting herons in the Camargue, South France. Waterbirds 23 p236-245
- 322 POULIN B., LEFEBVRE G. & PILARD P., 2000. Quantifying the breeding assemblage of reedbed passerines with mist-net and poin-count surveys. J Field Ornithol 71 p443-454
- 323 CRIVELLI A., POIZAT G., BERREBI P., JESENSEK D. & RUBIN J.F., 2000. Conservation biology applied to fish: the example of a project for rehabilitating the marble trout (Salmo marmoratus) in Slovenia. Cybium 24 p211-230
- 324 BERREBI P., POVZ M., JESENSEK D., CATTANEO-BERREBI G., CRIVELLI A.J., 2000. The genetic diversity of native, stocked and hybrid populations of marble trout in the Soca river, Slovenia. Heredity 85 p277-287
- 327 HAFNER H., BENNETTS R.E. & KAYSER Y., 2001. Changes in clutch size, brood size and numbers of nesting Squacco Herons Ardeola ralloides over a 32-year period in the Camargue, southern France. Ibis 143 p11-16
- 328 PAMPOULIE C., BOUCHEREAU J.L., ROSECCHI E., POIZAT G. & CRIVELLI A.J., 2000. Annual variations in the reproductive traits of Pomatoschistus microps in a Mediterranean lagoon undergoing environmental changes: evidence of phenotypic plasticity. J Fish Biol 57 p1441-1452
- 329 RHAZI L., GRILLAS P., MOUNIROU TOURE A. & TAN HAM L., 2001. Impact of land use in catchment and human activities on water, sediment and vegetation of Mediterranean temporary pools. C R Acad Sci-Sci Vie 324 p165-177
- 330 TATIN L., DUTOIT T. & FEH C., 2000. Impact du pâturage par les chevaux de Przewalski (Equus przewalskii) sur les populations d'orthoptères du Causse Méjean (Lozère, France). Rev Ecol-Terre Vie 55 p241-261
- 331 AZEROUAL A., CRIVELLI A.J., YAHYAOUY A. & DAKKI M., 2000. L'ichthyofaune des eaux continentales du Maroc. Cybium 24(3) suppl. p17-22
- 332 LOMBARDINI K., BENNETTS R.E. & TOURENQ C., 2001. Foraging success and foraging habitat use by cattle egrets and little egrets in the Camargue, France. Condor 103 p38-44
- 333 GELIN A., CRIVELLI A.J., ROSECCHI E. & KERAMBRUN P., 2001. The effect of salinity changes on the population structure and reproductive traits of Crangon crangon L. populations in the Camargue (Rhône Delta, France). Ecoscience 8 p8-17
- 335 CESCO H., LAMBERT A. & CRIVELLI A.J., 2001. Pseudorasbora parva (Téléostéen, Cyprinidae) espèce invasive, nouvel agent du maintien et de la dissémination de l'anguillicolose en France? Parasite 8 p75-76
- 336 TOURENQ C., AULAGNIER S., DURIEUX L., LEK S., MESLEARD F., JOHNSON A. & MARTIN J.L., 2001. Identifying rice fields at risk from damage by the greater flamingo. J Appl Ecol 38 p170-179

- 337 BARBRAUD C. & MATHEVET R., 2000. Is commercial reed harvesting compatible with breeding purple herons *Ardea purpurea* in the Camargue, southern France? *Environ Conserv* 27 p334-340
- 338 MAUCHAMP A., BLANCH S. & GRILLAS P., 2001. Effects of submergence on the growth of *Phragmites australis* seedlings. *Aquat Bot* 69 p147-164
- 339 MAUCHAMP A. & MESLEARD F., 2001. Salt tolerance in *Phragmites australis* from coastal Mediterranean marshes. *Aquat Bot* 70 p39-52
- 340 PAMPOULIE C., MARQUES A., ROSECCHI E., BOUCHEREAU J.L. & CRIVELLI A.J., 2001. Long-term monitoring on the occurrence of a myxosporean parasite *Kudoa camarguensis* (Myxosporean) on the common goby (Teleostei, Pisces) *Pomatoschistus microps*. *Disease Aquat Org* 45 p69-71
- 342 ROSECCHI E., THOMAS F. & CRIVELLI A.J., 2001. Can life-history traits predict the fate of introduced species? A case study on two cyprinid fish in southern France. *Freshwater Biol* 46 p845-853
- 343 PAMPOULIE C., SASAL P., ROSECCHI E., AUBY I., BOUCHEREAU J.L., LINDSTROM K. & CRIVELLI A.J., 2001. Nest use by the common goby *Pomatoschistus microps* in Camargue (France). *Ethol Ecol Evol* 13 p181-192
- 344 TOURENQ C., BENNETTS R.E., KOWALSKI H., VIALET E., LUCCHESI J.L., KAYSER Y. & ISENMANN P., 2001. Are ricefields a good alternative to natural marshes for waterbird communities in the Camargue, southern France? *Biol Conserv* 100 p335-343
- 345 FELLOWES J.R., ZHOU FANG, LEE K.S., HAU B.C.H., LAU M.W.N., LAM V.W.Y., YOUNG L. & HAFNER H., 2001. Status update on White-eared Night Heron *Gorsachius magnificus* in South China. *Bird Conserv Int* 11 p101-111
- 346 BENNETTS R.E., LEBRETON J.D., PRADEL R., HINES J.E. & KITCHENS W.M., 2001. Methods for estimating dispersal probabilities and related parameters using marked animals. In: *Dispersal*. J.Clobert, E. Danchin, A.A. Dhondt & J.D. Nichols. Oxford University Press Oxford (GBR) p3-17
- 347 PAGANO A. & SCHMELLER D., 1998. Is recombination less negligible than previously described in hybridogenetic water frogs? In: *Current studies in herpetology*. C. Miaud & G. Guyétant. Societas Europaea Herpetologica Le Bourget du Lac (FRA) p351-356
- 348 SCHMELLER D., SEITZ A., CRIVELLI A., PAGANO A. & VEITH M., 2001. Inheritance in the water frog *Rana ridibunda* Pallas, 1771. Is it Mendelian or hemiclinal? *Mitt Mus Natkd Berlin Zool Reihe* 77 p 39-42
- 349 SCHMELLER D., CRIVELLI A. & VEITH M., 2001. Is triploidy indisputably determinable in hybridogenetic hybrids by planimetric analyses of erythrocytes? *Mitt Mus Natkd Berlin Zool Reihe* 77 p 71-77
- 350 PAMPOULIE C., CHAUVELON P., ROSECCHI E., BOUCHEREAU J.L. & CRIVELLI A.J., 2001. Environmental factors influencing the gobiid assemblage of a Mediterranean lagoon: Empirical evidence from a long-term study. *Hydrobiologia* 445 p175-181
- 352 BERREBI P., POVZ M., JESENSEK D., CATTANEO-BERREBI G. & CRIVELLI A.J., 2000. The genetic diversity of native, stocked and hybrid populations of marble trout in the Soca river, Slovenia. *Heredity* 85 p277-287
- 355 BARBRAUD C. & HAFNER H., 2001. Variations des effectifs nicheurs de hérons pourprés *Ardea purpurea* sur le littoral méditerranéen français en relation avec la pluviométrie sur les quartiers d'hivernage. *Alauda* 69 p373-380
- 356 BARBRAUD C., LEPLEY M., LEMOINE V. & HAFNER H., 2001. Recent changes in the diet and breeding parameters of the Purple Heron *Ardea purpurea* in southern France. *Bird Study* 48 p308-316

- 357 TOURENQ C., PIN C., SACCHI L., HURTREZ-BOUSSES S., BERTAULT G., KAYSER Y. & MARTIN J.L., 2001. Absence of Hematozoa in chicks of Little Egret in the Camargue, Southern France. *Waterbirds* 24 p434-437
- 358 CATSADORAKIS G. & CRIVELLI A.J., 2001. Nesting habitat characteristics and breeding performance of Dalmatian Pelicans in Lake Mikri Prespa, NW Greece. *Waterbirds* 24 p386-393
- 359 GELIN A., CRIVELLI A.J., ROSECCHI E. & KERAMBRUN P., 2001. Can salinity changes affect reproductive success in the brown shrimp *Crangon crangon*? *J Crustacean Biol* 21 p905-911
- 360 CRIVELLI A.J. & POIZAT G., 2001. Timing of migration and exceptional growth of YOY *Alosa fallax rhodanensis* (Roule, 1924) in a lagoon in Southern France. *Bull Fr Pêche Piscic* 362/363 p761-772
- 361 RAKAJ N. & CRIVELLI A.J., 2001. Occurrence of *Agone Alosa agone* in Lake Shkodra, Albania in sympatry with Twaite Shad *Alosa fallax nilotica*. *Bull Fr Pêche Piscic* 362/363 p1067-1073
- 362 PAMPOULIE C., 2001. Demographic structure and life history traits of the common goby *Pomatoschistus microps* (Teleostei, Gobiidae) in a Mediterranean coastal lagoon (Rhône River delta, France). *Acta Oecol* 22 p253-257
- 365 FASOLA M., HAFNER H., KAYSER Y., BENNETTS R.E. & CEZILLY F., 2002. Individual dispersal among colonies of Little Egrets *Egretta garzetta*. *Ibis* 144 p192-199
- 366 BARBRAUD C., LEPLEY M., MATHEVET R. & MAUCHAMP A., 2002. Reedbed selection and colony size of breeding Purple Herons *Ardea purpurea* in southern France. *Ibis* 144 p227-235
- 367 BERNY P., SADOUL N., DOL S., VIDEMAN B., KAYSER Y. & HAFNER H., 2002. Impact of local agricultural and industrial practices on organic contamination of little egret (*Egretta garzetta*) eggs in the Rhône delta, southern France. *Environ Toxicol Chem* 21 p520-526
- 368 TAVECCHIA G., PRADEL R., LEBRETON J.D., JOHNSON A.R. & MONDAIN-MONVAL J.Y., 2001. The effect of lead exposure on survival of adult mallards in the Camargue, southern France. *J Appl Ecol* 38 p1197-1207
- 369 LEFEBVRE F., CONTOURNET P. & CRIVELLI A.J., 2002. The health state of the eel swimbladder as a measure of parasite pressure by *Anguillicola crassus*. *Parasitology* 124 p457-463
- 370 POULIN B., LEFEBVRE G. & MAUCHAMP A., 2002. Habitat requirements of passerines and reedbed management in southern France. *Biol Conserv* 107 p315-325
- 371 LEFEBVRE F., CONTOURNET P., PRIOUR F., SOULAS O. & CRIVELLI A.J., 2002. Spatial and temporal variation in *Anguillicola crassus* counts : results of a 4 year survey of eels in Mediterranean lagoons. *Dis Aquat Org* 50 p.181-188
- 372 PAMPOULIE C. & MORAND S., 2002. Nonrandom association patterns in parasite infections caused by the host life cycle : empirical evidence from *Kudoa camarguensis* (Myxosporea) and *Aphalloides coelomicola* (Trematoda). *J Parasitol* 88 p817-819
- 373 POIZAT G., ROSECCHI E. & CRIVELLI A.J., 2002. Life-history variation within a three-spined stickleback population in the Camargue. *J Fish Biol* 60 p1296-1307
- 374 VITALIS R., RIBA M., COLAS B., GRILLAS P. & OLIVIERI I., 2002. Multilocus genetic structure at contrasted spatial scales of the endangered water fern *Marsilea strigosa* Willd. (Marsileaceae, Pteridophyta). *Am J Bot* 89 p1142-1155
- 375 PAMPOULIE C., 2002. Dynamics of *Kudoa camarguensis* (myxosporean) infection in two gobiid species, *Pomatoschistus microps* and *P. minutus* (Teleostei: Pisces), in the Rhône River delta, France. *Dis Aquat Org* 49 161-164

- 376 POULIN B. & LEFEBVRE G., 2002. Effect of winter cutting on the passerine breeding assemblage in French Mediterranean reedbeds. *Biodiv Conserv* 11 p1567-1581
- 378 CHARPENTIER A., 2002. Consequences of clonal growth for plant mating. *Evol Ecol* 15 p521-530
- 379 MAUCHAMP A., CHAUVELON P. & GRILLAS P., 2002. Restoration of floodplain wetlands : opening polders along a coastal river in Mediterranean France, Vistre marshes. *Ecol Eng* 18 p619-632
- 380 BONIS A. & GRILLAS P., 2002. Deposition, germination and spatio-temporal patterns of charophyte propagule banks: a review. *Aquat Bot* 72 p235-248
- 382 MARY M., DESNOUHES L., MICHAUD H., YAVERKOVSKI N. & GRILLAS P., 2002. Flore des plantes vasculaires de Camargue: résultat d'observations réalisées au printemps 2001. *Bull Soc Linn Provence* 53 p79-89
- 384 JAKOB C., POIZAT G., CRIVELLI A.J. & VEITH M., 2002. Larval growth variation in marbled newts (*Triturus marmoratus*) from temporary Mediterranean ponds. *Amphibia Reptilia* 23 p359-362
- 385 MATHEVET R. & MESLEARD F., 2002. The origins and functioning of the private wildfowling lease system in a major Mediterranean wetland: the Camargue (Rhône river delta, southern France). *Land Use Policy* 19 p277-286
- 386 JAKOB C., SEITZ A., CRIVELLI A.J. & MIAUD C., 2002. Growth cycle of the marbled newt (*Triturus marmoratus*) in the Mediterranean region assessed by skeletochronology. *Amphibia Reptilia* 23 p407-418
- 387 KAYSER Y., GIRARD C., MASSEZ G., CHERAIN Y., COHEZ D., HAFNER H., JOHNSON A., SADOUL N., TAMISIER A. & ISENMANN P., 2003. Compte-rendu ornithologique camarguais pour les années 1995-2000. *Rev Ecol-Terre Vie* 58 p5-76
- 390 POULIN B. & LEFEBVRE G., 2003. Optimal sampling of booming bitterns *Botaurus stellaris*. *Ornis Fennica* 80 p11-20
- 391 LEFEBVRE G. & POULIN B., 2003. Accuracy of bittern location by acoustic triangulation. *J Field Ornithol* 74 p305-311
- 392 MATHEVET R., BOUSQUET F., LE PAGE C. & ANTONA M., 2003. Agent-based simulations of interactions between duck population, farming decisions and leasing of hunting rights in the Camargue (Southern France). *Ecol Model* 165 p107-126
- 393 JAKOB C., POIZAT G., VEITH M., SEITZ A. & CRIVELLI A.J., 2003. Breeding phenology and larval distribution of amphibians in a Mediterranean pond network with unpredictable hydrology. *Hydrobiologia* 499 p51-61
- 394 ACOU A., LEFEBVRE F., CONTOURNET P., POIZAT G., PANFILI J. & CRIVELLI A.J., 2003. Silvering of female eels (*Anguilla anguilla*) in two sub-populations of the Rhône Delta. *Bull Fr Pêche Piscic* 368 p55-68
- 395 LEFEBVRE F., SERGENT E., ACOU A., LECOMTE-FINIGER R. & CRIVELLI A.J., 2003. Recrutement des civelles (*Anguilla anguilla*) sur la côte méditerranéenne française : analyse comparée des caractéristiques biométriques et pigmentaires des saisons 1974-75 et 2000-01. *Bull Fr Pêche Piscic* 368 p85-96
- 396 LEFEBVRE F., ACOU A., POIZAT G. & CRIVELLI A.J., 2003. Anguillicolosis among silver eels : a 2-year survey in 4 habitats from Camargue (Rhône Delta, South of France). *Bull Fr Pêche Piscic* 368 p97-108
- 397 TOURENQ C., BENHAMOU S., SADOUL N., SANDOZ A., MESLEARD F., MARTIN J.L. & HAFNER H., 2004. Spatial relationships between tree-nesting heron colonies and rice fields in the Camargue, France. *Auk* 121 p192-202

- 398 JAKOB C., MIAUD C., CRIVELLI A.J. & VEITH M., 2003. How to cope with periods of drought ? Age at maturity, longevity, and growth of marbled newts (*Triturus marmoratus*) in Mediterranean temporary ponds. *Can J Zool* 81 p1905-1911
- 399 POIZAT G., ROSECCHI E., CHAUVELON P., CONTOURNET P. & CRIVELLI A.J., 2004. Long-term fish and macro-crustacean community variation in a Mediterranean lagoon. *Estuar Coast Shelf Sci* 59 p615-624
- 400 LEFEBVRE F., MOUNAIX B., POIZAT G. & CRIVELLI A.J., 2004. Impacts of the swimbladder nematode *Anguillicola crassus* on *Anguilla anguilla* : variations in liver and spleen masses. *J Fish Biol* 64 p435-447
- 401 MAUCHAMP A. & METHY M., 2004. Submergence-induced damage of photosynthetic apparatus in *Phragmites australis*. *Environ Exp Bot* 51 p227-235
- 402 RHAZI M., GRILLAS P., CHARPENTIER A. & MEDAIL F., 2004. Experimental management of Mediterranean temporary pools for conservation of the rare quillwort *Isoetes setacea*. *Biol Conserv* 118 p675-684
- 404 POULIN B. & LEFEBVRE G., 2003. Variation in booming among Great Bitterns *Botaurus stellaris* in the Camargue, France. *Ardea* 91 p177-181
- 405 DESNOUHES L., PICHAUD M., Le CLAINCHE N., MESLEARD F. & GIROUX J.F., 2003. Activity budget of an increasing wintering of Greylag Geese *Anser anser* in southern France. *Wildfowl* 54 p39-49
- 406 LEFEBVRE F.S. & CRIVELLI A.J., 2004. Anguillicolosis : dynamics of the infection over two decades. *Dis Aquat Org* 62 p227-232
- 407 DESNOUHES L. & LEPLEY M., 2004. Régime alimentaire hivernal de l'oie cendré *Anser anser* en Camargue (France, Méditerranée). *Alauda* 72 p329-334
- 408 RGUIBI IDRISSE H., LEFEBVRE G. & POULIN B., 2004. Diet warblers *Acrocephalus scirpaceus* at two stopover sites in Morocco during autumn migration. *Rev Ecol-Terre Vie* 59 p491-502
- 409 POULIN B., LEFEBVRE G. & MATHEVET R., 2005. Habitat selection by booming bitterns *Botaurus stellaris* in French Mediterranean reed-beds. *Oryx* 39 p265-274
- 410 RHAZI M., GRILLAS P., MEDAIL F. & RHAZI L., 2005. Consequences of shrub clearing on the richness of aquatic vegetation in oligotrophic seasonal pools in Southern France. *Phytocoenologia* 35 p489-510
- 411 CHARPENTIER A., GRILLAS P., LESCUYER F., COULET E. & AUBY I., 2005. Spatio-temporal dynamics of a *Zostera noltii* dominated community over a period of fluctuating salinity in a shallow lagoon, Southern France. *Estuar Coast Shelf Sci* 64 p307-315
- 412 ALVAREZ M.G., TRON F. & MAUCHAMP A., 2005. Sexual versus asexual colonization by *Phragmites australis* : 25-year reed dynamics in a Mediterranean marsh, Southern France. *Wetlands* 25 p639-647
- 413 BERREBI P., RODRIGUEZ P., TOMASINI J.A., CATTANEO-BERREBI G. & CRIVELLI A.J., 2005. Differential distribution of the two cryptic species, *Pomatoschistus microps* and *P. marmoratus*, in the lagoons of southern France, with an emphasis on the genetic organisation of *P. microps*. *Estuar Coast Shelf Sci* 65 p708-716
- 414 MESLEARD F., GARNERO S., BECK N. & ROSECCHI E., 2005. Uselessness and indirect negative effects of an insecticide on rice field invertebrates. *C R Biol* 328 p955-962
- 415 BANAS D., GRILLAS P., AUBY I., LESCUYER F., COULET E., J.C. MORETEAU & MILLET B., 2005. Short time scale changes in underwater irradiance in a wind-exposed lagoon (Vacarès lagoon,

France) : efficiency of infrequent field measurements of water turbidity or weather data to predict irradiance in the water column. *Hydrobiologia* 551 p3-16

416 SALTMARSH A., MAUCHAMP A. & RAMBAL S., 2006. Contrasted effects of water limitation on leaf functions and growth of two-emergent co-occurring plant species, *Cladium mariscus* and *Phragmites australis*. *Aquat Bot* 84 p191-198

417 ROSECCHI E., BECK N. & MESLEARD F., 2006. Spatio-temporal changes in aquatic macro-invertebrate assemblages of conventional rice fields in the Camargue (Rhône-delta, France). *Vie Milieu* 56 p55-63

418 RHAZI L., RHAZI M., GRILLAS P. & EL KHYARI D., 2006. Richness and structure of plant communities in temporary pools from western Morocco : influence of human activities. *Hydrobiologia* 570 p197-203